BATIK INTEGRAL

OutFit

Product categories

Meat | Chicken | Delicatessen | Cheese | Dairy products | Gastronomy

Technical features

Ventilated | Incorporated condensing unit | LED lighting | High efficiency fans | Electric defrost | Propane refrigerant gas (R290)

A ↑ G D

Available with LINEON NEW PLUG-IN CONNECTIVITY SOLUTIONS

BATIK INTEGRAL

OutFit

Product range

BATIK INTEGRAL					
Length-Lunghezza Longueur-Länge-Longitud mm			**1250**	**1875**	**2500**
Height-Altezza-Hauteur-Höhe-Altura mm			1200	1200	1200
BATIK INTEGRAL	**DESIGN**	**C**	•	•	•
		N	•	•	•
	STUDIO	**C**	•	•	•
		N	•	•	•
Display area Superficie di esposizione Warenpräsentations-fläche Surface d'exposition Superficie expositiva m²	**Compact**		1.39	2.10	2.79
	Narrow		1.52	2.29	3.04
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m²	**Compact**		1.30	1.95	2.60
	Narrow		1.42	2.13	2.85
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	30.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagen-stoßleiste/Parachoques)				

Cross sections



DESIGN - COMPACT



DESIGN - NARROW



STUDIO - COMPACT

BATIK INTEGRAL

OutFit

Cross Sections



STUDIO - NARROW