



Product categories



Meat



Chicken



Delicatessen



Cheese



Dairy products



Gastronomy



Pre-packed
fruit&veg




Pre-packed fish

Technical features



Ventilated



Remote
condensing
unit



LED lighting



High efficiency
fans



Natural defrost
Plus

Certification and patents




Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC); Check ongoing validity
of certificate online: www.eurovent-certification.com


Product range

		BATIK												
Length-Lunghezza Longueur-Länge-Longitud		mm	1250	1875	2500	3750	EOL1822	EOL2016	EOL2225	OC90	OC45	CC45		
BATIK	DESIGN	S	H1200	•	•	•	•	•						
			H1400	•	•	•	•							
			H1600	•	•	•	•							
		C	H1200	•	•	•	•		•					
			H1400	•	•	•	•		•		•	•	•	
			H1600	•	•	•	•							
		N	H1200	•	•	•	•			•				
			H1400	•	•	•	•							
			H1600	•	•	•	•					•	•	
	STUDIO	S	H1200											
			H1400											
			H1600											
		C	H1200	•	•	•	•		•					
			H1400	•	•	•	•		•		•	•	•	
			H1600	•	•	•	•							
		N	H1200	•	•	•	•			•				
			H1400	•	•	•	•							
			H1600	•	•	•	•					•	•	
		STYLE	S	H1200										
				H1400										
				H1600										
	C		H1200	•	•	•	•		•					
			H1400	•	•	•	•		•		•	•	•	
			H1600	•	•	•	•							
N	H1200		•	•	•	•			•					
	H1400		•	•	•	•								
	H1600		•	•	•	•					•	•		
Display area Superficie di esposizione Warenpräsentations- fläche Surface d'exposition Superficie expositiva m ²	Slim	H1200	1.29	1.94	2.57	3.86	2.3							
		H1400	1.27	1.92	2.54	3.81								
		H1600	1.52	2.29	3.05	4.56								
	Compact	H1200	1.39	2.10	2.79	4.17		2.7						
		H1400	1.38	2.08	2.76	4.14		2.93		-	-	-		
		H1600												
Narrow	H1200	1.52	2.29	3.04	4.56			3.22						
	H1400													
	H1600	1.75	2.64	3.52	5.26									
Loading area Superficie di appog- gio Nutzfläche surface de charge- ment Superficie de apoyo m ²	Slim	H1200	1.17	1.76	2.35	3.52	1.76							
		H1400	1.30	1.95	2.60	3.90		2.09		-	-	-		
		H1600	1.42	2.13	2.85	4.27			2.53		-	-		
End thickness Spessore spalla Stärke der Sei- tenwand Épaisseur de che- joue Espesor lateral mm														
30.00 (+ 35 Batticarello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques)														


Cross sections



DESIGN H12 - SLIM




DESIGN H12 - COMPACT




DESIGN H12 - NARROW


Cross Sections




STUDIO H12 - COMPACT




STUDIO H12 - NARROW




STYLE H12 - COMPACT




STYLE H12 - NARROW




DESIGN H14 - SLIM




DESIGN H14 - COMPACT



STUDIO H14 - COMPACT




STYLE H14 - COMPACT




DESIGN H16 - SLIM


Cross Sections



DESIGN H16 - NARROW



STUDIO H16 - NARROW



STYLE H16 - NARROW

Cross Sections

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME

SECTION NAME