CAYMAN UP

Product categories

Frozen Food and Ice cream

Technical features

Ventilated

Remote condensing unit

LED lighting

High efficiency fans

Electric defrost

A ↑ G F

Certification and patents

EUROVENT CERTIFIED PERFORMANCE www.eurovent-certification.com

Epta S.p.A. participates in the ECC programme for: Refrigerated display cabinets (RDC); Check ongoing validity of certificate online: www.eurovent-certification.com

CAYMAN UP

Product range

CAYMAN UP					
Length-Lunghezza Longueur-Länge-Longitud mm		**1880**	**2500**	**3750**	**EOL2240**
CAYMAN UP	**H2000**	•	•	•	•
	H2200	•	•	•	•
Display area Superficie di esposizione Warenpräsentat-ionsfläche Surface d'exposition Superficie expositiva m2	**H2000**	1.83	2.45	3.68	1.83
	H2200	2.06	2.76	4.15	2.06
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**H2000**	2.22	2.94	4.41	2.22
	H2200	2.22	2.94	4.41	2.22
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**H2000**	1193.00	1581.00	2372.00	1193.00
	H2200	1344.00	1781.00	2672.00	1344.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		51.00 (+ 104 Batticarrello/Bumper Rail/Pare-choc Wagenstoßleiste/Parachoques)			

Cross sections



20 LINEAR



EOL - 20



22 LINEAR

CAYMAN UP

Cross Sections



EOL - 22



	L	H (mm)	
		20	22
CAYMAN	1875	2280	2480
	2500	2280	2480
	3750	2280	2480
	MT	2100	2300

EPTABLUE - OPTION