
CHORUS

Complementaries / Single-deck
Retail Plug-in



BEST ENERGY CLASS*



Product Categories


Cheese


Dairy products


Delicatessen


Frozen Food and Ice cream


Meat


Pre-packed fish


Pre-packed fruit and vegetables


Sandwiches


Chicken

Technical Features


Electric defrost


Incorporated condensing unit


LED lighting



Propane refrigerant gas (R290)


Ventilated

CHORUS

Complementaries / Single-deck
Retail Plug-in

Certification and Patents



Eurovent


Product Range

CHORUS					
CHORUS	**CLOSED**			**OPEN**	
	BT/TN			TN	
	1000	1500	2000	1500	2000
	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.36	1.96	2.56	1.96	2.56
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	1.00	1.50	2.00	1.50	2.00
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	199.00	311.00	423.00	311.00	423.00
Dimensions Dimensioni Größe Dimensions Dimensiones LxAxP mm	1000x925x1000	1500x925x1000	2000x925x1000	1500x925x1000	2000x925x1000


CHORUS

Complementaries / Single-deck
Retail Plug-in

Cross Sections



BT/TN - LT/MT



TN - MT

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.