FUNKY NEXT

SlimFit / Multideck
Integral



BEST ENERGY CLASS*



Product Categories


Cheese


Dairy products


Delicatessen


Drinks


Fruit and Vegetables


Meat


Pre-packed fish


Pre-packed fruit and vegetables


Sandwiches


Chicken

Technical Features


Free maintenance condenser


High efficiency fans


Incorporated condensing unit


LED lighting


Off-cycle defrost



Propane refrigerant gas (R290)


Ventilated

FUNKY NEXT

SlimFit / Multideck
Integral

Certification and Patents



Eurovent


Product Range

FUNKY NEXT	
Length-Lunghezza Longueur-Länge-Longitud mm	**1250 - 2P**
FUNKY NEXT	•
Display area Superfcie di esposizione Warenpräsentationsfäche Surface d'exposition Superfcie expositiva m2	1.51
Loading area Superfcie di appoggio Nutzfäche Surface de chargement Superfcie de apoyo m2	0.66
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	450.00

FUNKY NEXT

SlimFit / Multideck
Integral

Cross Sections



Funky Next

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.