GRANBERING

GranFit / Multideck

Frozen Horizontal, Vertical and Semivertical

BEST ENERGY CLASS*



Product Categories

Frozen Food and Ice cream

Technical Features

Electric defrost

EPTABLUE

High efficiency fans

LED lighting

Remote condensing unit

Ventilated

GRANBERING

GranFit / Multideck

Frozen Horizontal, Vertical and Semivertical

Certification and Patents



Eurovent



Certificazione Eurovent

Product Range


GRANBERING									
Length-Lunghezza Longueur-Länge-Longitud mm			**2P 1565**	**3P 2343**	**4P 3124**	**5P 3905**	**2P MT 1664**	**3P MT 2445**	**3P S MT 2025**
GRANBERING	**2110**	**C**	•	•	•	•			
		N	•	•	•	•	•	•	•
	2260	**C**	•	•	•	•			
		N	•	•	•	•	•	•	
Display area Superficie di esposizione Warenpräsentat-ionsfläche Surface d'exposition Superficie expositiva m2	**2110**	**C**	2.30	3.50	4.60	5.80			
		N	2.50	3.70	5.00	6.20	2.50	3.70	3.00
	2260	**C**	2.50	3.80	5.00	6.30			
		N	2.70	4.00	5.40	6.70	2.70	4.00	
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**2110**	**C**	1.18	1.75	2.34	2.92			
		N	1.40	2.10	2.80	3.51	1.40	2.10	1.85
	2260	**C**	1.18	1.75	2.34	2.92			
		N	1.40	2.10	2.80	3.51	1.40	2.10	
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**2110**	**C**	1218.40	1827.50	2436.70	3045.90			
		N	1608.90	2413.30	3217.70	4022.20	1608.90	2413.30	1980.7
	2260	**C**	1327.70	1991.60	2655.40	3319.30			
		N	1749.40	2624.20	3498.90	4373.60	1749.40	2624.20	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			51.00				-		

GRANBERING


GranFit / Multideck

Frozen Horizontal, Vertical and Semivertical


Cross Sections




Sezione_GranBering_20_C



Sezione_GranBering_20_N



Sezione_GranBering_22_C



Sezione_GranBering_22_N

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.