
# GRANSESIA

*GranFit / Multideck*

Frozen Horizontal, Vertical and Semivertical




BEST ENERGY CLASS*



## Product Categories



Frozen Food and Ice cream

## Technical Features



Electric defrost



High efficiency fans



LED lighting



Remote condensing unit



Ventilated

# GRANSESIA

*GranFit / Multideck*

Frozen Horizontal, Vertical and Semivertical

## Certification and Patents




Eurovent




Certificazione Eurovent

## Product Range


| GRANSESIA | | | | | |
|---|---|---|---|---|---|
| **Length**-Lunghezza Longueur-Länge-Longitud mm | | **2P 1565** | **3P 2343** | **EOL 2P 1664** | **EOL 3PS 2025** |
| **GRANSESIA** | **C** | • | • | • | |
| | **N** | • | • | | • |
| **Display area** Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficieexpositiva m2 | **C** | 1.40 | 2.10 | 1.40 | |
| | **N** | | | | 1.60 |
| **Loading area** Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2 | **C** | 1.18 | 1.75 | 1.18 | |
| | **N** | 1.40 | 2.10 | | 2.10 |
| **Net storage capacity** Capacità netta Nutzinhalt volume utile Capacitad neta dm3 | **C** | 731.00 | 1097.00 | 731.00 | |
| | **N** | 964.00 | 1446.00 | | 1187.00 |
| **End thickness** Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm | | 52 | | Included Incluse Inbegriffen Incluses Inclusas | |

# GRANSESIA


*GranFit / Multideck*

Frozen Horizontal, Vertical and Semivertical

## Cross Sections




GranSesia_narrow




sezione_gransesia_compact

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.