





MIGLIOR CLASSE ENERGETICA*




Product Categories



Cheese




Dairy products



Delicatessen



Fruit and Vegetables



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

Technical Features



Electric defrost



High efficiency fans



LED lighting



Off-cycle defrost



Remote condensing unit



Ventilated

Certification and Patents









Eurovent

Product Range

GRANVALDAJ TILDED DOORS										
Lenght- Lunghezza Longueur- Länge- Longitud mm		1250	1875	2500	3750	EOL 1510	EOL 1810	EOL 1960	EOL 220	EOL 258
Height- Altezza- Hauteur- Höhe- Altura mm		H15	H15	H15	H15	H15	H15	H15	H15	H15
GRANVADAJ TILTED DOORS	Compact	•	•	•	•	•				
	Narrow	•	•	•	•		•	•		
	Large	•	•	•					•	•
Dispay area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Compact	1,35	2,00	2,70	4,05	2,34				
	Narrow	1,35	2,00	2,70	4,05		2,81	2,97		
	Large	1,35	2,00	2,70					3,39	3,81
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Compact	0,92	1,35	1,85	2,75	1,17				
	Narrow	1,10	1,65	2,2	3,3		1,68	1,77		
	Large	1,31	1,97	2,62					2.31	2,70
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral .mm	21.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/ Parachoques)					42.00 (+ 35 Batticarrello Bumper Rail/Pare-choc Wagenstoßleiste Parachoques)				

GRANVALDAJ SLIDING DOORS									
Length-Lunghezza Longueur-Länge-Longitud mm		1250		1875		2500		3750	
Height- Altezza-Hauteur-Höhe-Altura mm		H15	H17	H15	H17	H15	H17	H15	H17
GRANVALDAJ SLIDING DOORS	Narrow	•	•	•	•	•	•	•	•
	Large		•		•		•		•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	Narrow	1,30	1,80	1,93	2,66	2,61	3,59	3,91	5,39
	Large		1,92		2,84		3,83		5,75
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Narrow	1.10		1,65		2,2		3,3	
	Large	1.31		1,97		2,62		3,93	
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chegue joue Espesor lateral mm	21.00 (+ 35 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques)								

Cross Sections



GranFit / Multideck

Chilled Vertical and Semivertical

*Le informazioni relative alla classe energetica (secondo i Regolamenti EU 2019/2018 ed EU 2019/2024) qui riportate sono riferite a modelli standard e precise configurazioni ed allestimenti del prodotto. Il sito si basa sulle informazioni disponibili al momento della sua pubblicazione. Poiché la classe energetica dipende dalla specifica configurazione del prodotto, malgrado l'impegno posto per assicurare la maggior accuratezza possibile, i dati reali possono differire sensibilmente dai dati qui dichiarati. Per maggiori informazioni vi invitiamo a consultare il Registro Europeo dei Prodotti per l'Etichettatura Energetica EPREL oppure rivolgervi al nostro Ufficio Commerciale.