


GRANVISTA NEXT

GranFit / Multideck


Chilled Vertical and Semivertical




MIGLIOR CLASSE ENERGETICA*




Product Categories



Cheese



Dairy products




Delicatessen



Fruit and Vegetables



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Chicken

Technical Features



Electric defrost



EPTABLUE




High efficiency fans




LED lighting



Off-cycle defrost



Remote condensing unit



Ventilated

GRANVISTA NEXT

GranFit / Multideck

Chilled Vertical and Semivertical



Certification and Patents



Eurovent




Epta
DualAirflow




HighFlux

Product Range


GRANVISTA NEXT																																
Length-Lunghezza Longueur-Länge-Longitud mm			1250		1875		2500		3750		MT1510 Open		MT1510 Open		MT1370 Open or Closed		MT1810 Open or Closed		MT2000 Open or Closed		MT2200 Open		MT1510 Open		MT1330 Open		MT1810 Open		MT1960 Open		MT1960 Open	
Altezza mm			20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22	20	22
GRANVISTA NEXT	Closed	C	•	•	•	•	•	•	•	•					20	22	20	22	20	22			20	22			20	22	20	22	20	22
		N	•	•	•	•	•	•	•	•					•	•			•	•												
		L	•	•	•	•	•	•	•	•									•	•												
	Open	C	•	•	•	•	•	•	•	•	•			•											•							
		N	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•			•	•		•	•	•		
		L	•	•	•	•	•	•	•	•	•					•	•	•	•	•	•	•					•	•			•	•
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	Closed	C	3.16	3.42	3.68	3.99	4.21	4.56	6.32	6.84	2.26	2.48																				
		N	3.33	3.59	3.88	4.19	4.44	4.79	6.67	7.19			3.38	3.63	2.84	3.17	4.49	4.82	3.67	4.10												
		L	3.42	3.68	3.99	4.35	4.56	4.91	6.84	7.34					2.92	3.25	4.91	5.29	3.77	4.21												
	Open	C	3.39	3.67	3.95	4.28	4.52	4.90	6.78	7.35	3.42											3.87										
		N	3.39	3.67	3.95	4.28	4.52	4.90	6.78	7.35					4.38									3.69	4.00	4.76	4.82	5.23				
		L	3.49	3.77	4.07	4.39	4.65	5.02	6.97	7.63																4.85	5.25			5.27	5.70	
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Closed	C	1.35		1.6		1.85		2.75		1.21	1.21																				
		N	1.65		1.92		2.20		3.30					1.23		1.58		1.77		2.04												
		L	1.95		2.27		2.60		3.90							1.58		2.08		2.04												
	Open	C	1.35		1.6		1.85		2.75		1.21												1.21									
		N	1.65		1.92		2.20		3.30							1.58									1.23	1.58	1.77					
		L	1.95		2.27		2.60		3.90																	1.58				2.08		
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm			30.00 (+ 35 Bumper Rail)																													




Open_20_C



Open_20_N



Open_20_L




Open_22_C


GRANVISTA NEXT

GranFit / Multideck


Chilled Vertical and Semivertical




Open_22_N



Open_22_L



20 C CLOSED




20 N CLOSED

GRANVISTA NEXT


GranFit / Multideck

Chilled Vertical and Semivertical




● Option
★ EptaBlue

20 L CLOSED




● Option
★ EptaBlue

22 C CLOSED



● Option
★ EptaBlue

22 L CLOSED



● Option
★ EptaBlue

22 N CLOSED

*Le informazioni relative alla classe energetica (secondo i Regolamenti EU 2019/2018 ed EU 2019/2024) qui riportate sono riferite a modelli standard e precise configurazioni ed allestimenti del prodotto. Il sito si basa sulle informazioni disponibili al momento della sua pubblicazione. Poiché la classe energetica dipende dalla specifica configurazione del prodotto, malgrado l'impegno posto per assicurare la maggior accuratezza possibile, i dati reali possono differire sensibilmente dai dati qui dichiarati. Per maggiori informazioni vi invitiamo a consultare il Registro Europeo dei Prodotti per l'Etichettatura Energetica EPREL oppure rivolgervi al nostro Ufficio Commerciale.