MAMBO NEXT

SlimFit / Multideck
Integral



BEST ENERGY CLASS*




Product Categories



Cheese | Dairy products | Delicatessen | Drinks | Meat | Pre-packed fish | Pre-packed fruit and vegetables | Sandwiches | Chicken

Technical Features



Free maintenance condenser | High efficiency fans | Incorporated condensing unit | LED lighting | Off-cycle defrost | Ventilated

MAMBO NEXT

SlimFit / Multideck
Integral

Certification and Patents



Eurovent


Product Range

MAMBO NEXT			
Length-Lunghezza Longueur-Länge-Longitud mm	**1250 - 2P**	**1875 - 3P**	**2500 - 4P**
MAMBO NEXT	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.196	1.794	3.392
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	0.97	1.5	1.94
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	430.00	640.00	860.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm	30.00		

MAMBO NEXT

SlimFit / Multideck
Integral

Cross Sections



sezione_mambo_next

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.