SAMBA

Hard Discount / Multideck
Retail Plug-in

BEST ENERGY CLASS*



Product Categories

Cheese
Dairy products
Delicatessen
Drinks
Meat
Pre-packed fish
Pre-packed fruit and vegetables
Sandwiches
Chicken

Technical Features

Electric defrost
High efficiency fans
Incorporated condensing unit
LED lighting
Off-cycle defrost
Propane refrigerant gas (R290)
Ventilated

SAMBA

Hard Discount / Multideck
Retail Plug-in

Certification and Patents



Eurovent

Product Range


SAMBA				
Length-Lunghezza Longueur-Länge-Longitud mm		**1875**	**2500**	**1875 - EOL**
SAMBA	**CLOSED**	•	•	•
	OPEN	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**CLOSED**	2.82 - 3.77*	3.76 - 4.71*	2.82 - 3.77*
	OPEN	2.83 - 3.78*	3.78 - 4.73*	2.83 - 3.78*
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**CLOSED**	1.72	2.28	1.72
	OPEN	1.72	2.28	1.72
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**CLOSED**	731.00	975.00	731.00
	OPEN	675.00	900.00	675.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm	**CLOSED**	30.00		
	OPEN	30.00		
Dimensions Dimensioni Größe Dimensions Dimensiones LxAxP mm	**CLOSED**	1940x1800x900	2565x1800x900	1940x1800x900
	OPEN	1940x1800x900	2565x1800x900	1940x1800x900

* With panoramic ends


SAMBA

Hard Discount / Multideck
Retail Plug-in

Cross Sections



SAMBA CLOSED



SAMBA OPEN

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.