VALZER NEXT

SlimFit / Multideck
Integral

BEST ENERGY CLASS*



Product Categories

Frozen Food and Ice cream

Technical Features

Free maintenance condenser

High efficiency fans

Hot-gas defrosting system

Incorporated condensing unit

LED lighting

Propane refrigerant gas (R290)

Ventilated

VALZER NEXT

SlimFit / Multideck
Integral

Certification and Patents



Eurovent

Product Range


VALZER NEXT NOT MULTIPLEXABLE				
Length-Lunghezza Longueur-Länge Longitud mm	**DOORS NUMBER**	**1 DOOR**	**2 DOORS**	**3 DOORS**
	WITH ENDWALLS	670	1430	2100
VALZER NEXT NOT MULTIPLEXABLE	**COMPACT**	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**COMPACT**	0,965	1,931	2,896
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**COMPACT**	0,51	1.09	1,60
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**COMPACT**	450	900	1350

VALZER NEXT MULTIPLEXABLE				
Lenght-Lunghezza Longueur-Länge Longitud mm	**DOORS NUMBER**	**2 DOORS**	**3 DOORS**	**4 DOORS**
	NO ENDWALLS	1337	2007	2677
	WITH ENDWALLS	1464	2130	2850
VALZER NEXT MULTIPLEXABLE	**COMPACT**	•	•	•
	NARROW	•	•	•
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	**COMPACT**	1,931	2,896	3,861
	NARROW	1,931	2,896	3,861
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	**COMPACT**	1.12	1,63	2,14
	NARROW	1.25	1.83	2,40
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	**COMPACT**	900	1350	1800
	NARROW	1050	1575	2100
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm	62			


VALZER NEXT

SlimFit / Multideck
Integral

Cross Sections



COMPACT



NARROW

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.